IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1 1 (Currently Amended) A method for processing referenced objects, 2 comprising: 3 referencing an object by selected indicia, the selected indicia being a name; a 4 globally-unique identifier or a globally-unique identifier and an object locator; 5 searching for the object by the selected indicia; 6 downloading the object having the selected indicia; 7 analyzing the downloaded object to identify the selected indicia of the downloaded 8 object; and 9 capturing the object in persistent memory when the selected indicia is identified to include a globally-unique identifier. 10 1 2-4. (Canceled) 1 5. (Original) The method of claim 1 wherein the referencing of the object is 2 by a globally-unique identifier.
- 1 6. (Original) The method of claim 5 further comprising attempting to find 2 the object resident in the presentation device using a globally-unique identifier.
- The method of claim 6 further comprising searching for the resource inline in a resource group in a print file when the search for a resident globally-unique identifier fails.

- 1 8. (Original) The method of claim 7 further comprising downloading and
 2 capturing the object by the globally-unique identifier if the resource is found inline in a
 3 resource group in the print file and the object is secure.
- 1 9. (Original) The method of claim 1 wherein the referencing of the object is 2 by a globally-unique identifier and an object locator.
- 1 10. (Original) The method of claim 9 further comprising attempting to find 2 the object resident in the presentation device using a globally-unique identifier.
- 1 11. (Original) The method of claim 10 further comprising searching for the
 resource inline in a resource group in a print file when the search for a resident globallyunique identifier fails.
- 1 12. (Original) The method of claim 11 further comprising downloading and
 2 capturing the object by the globally-unique identifier if the resource is found inline in a
 3 resource group in the print file and the object is secure.
- 1 13. (Original) The method of claim 11 further comprising looking for the
 2 object in a resource library by object locator when the inline search is unsuccessful.
- 1 14. (Original) The method of claim 13 further comprising determining
 2 whether the globally-unique identifier assigned to the object matches the globally-unique
 3 identifier referenced.

- 1 15. (Original) The method of claim 14 further comprising downloading and
 2 capturing the object by the globally-unique identifier if the globally-unique identifier
 3 assigned to the object matches the globally-unique identifier referenced.
- 1 16. (Original) The method of claim 14 further comprising indicating an error
 2 if the globally-unique identifier assigned to the object does not match the globally-unique
 3 identifier referenced.
- 17. (Original) The method of claim 14 further comprising indicating an error
 if the object does not contain a globally-unique identifier.

1 18. (Canceled)

- 1 19. (Withdrawn) A object data structure of a data stream for referencing and
 2 identifying presentation objects, the object data structure including a globally-unique
 3 identifier assigned to a presentation object, the globally-unique identifier providing integrity
 4 to object identification.
- 1 20. (Withdrawn) The data structure of claim 19 wherein the globally-unique 2 identifier assigned to the object allows the object to be securely referenced for re-use.
- 21. (Withdrawn) The data structure of claim 19 wherein the globally-unique
 identifier assigned to the object is platform-independent.
- 1 22. (Withdrawn) The data structure of claim 19 wherein the data stream is a
 2 Mixed Object Document Content Architecture data stream.

Appl. No. 10/771,055 BLD990043US2/(InfoPrint04D1)

- 1 23. (Withdrawn) The data structure of claim 19 wherein the globally-unique
- 2 identifier comprises a date and time stamp.
- 1 24. (Withdrawn) The data structure of claim 19 wherein the globally-unique
- 2 identifier comprises a checksum value.
- 1 25. (Withdrawn) The data structure of claim 19 wherein the globally-unique
- 2 identifier comprises a binary counter.

1 26. (Currently Amended) An article of manufacture comprising a program 2 storage medium readable by a computer, the medium tangibly embodying one or more 3 programs of instructions executable by the computer to perform a method for processing 4 referenced objects, the method comprising: referencing an object by selected indicia, the selected indicia being a-name, a 5 6 globally-unique identifier or a globally-unique identifier and an object locator; 7 searching for the object by the selected indicia: 8 downloading the object having the selected indicia; 9 analyzing the downloaded object to identify the selected indicia of the downloaded 10 object; and capturing the object in persistent memory when the selected indicia is identified to 11 12 include a globally-unique identifier.